

Amendments to the Claims:

This listing of claims will replace all prior versions and listings of claims in the application:

Listing of Claims:

1. (Currently Amended) A Fibre Channel switch for use in a switched fabric which interconnects nodes, with all routes between all switches and all nodes in the fabric previously determined, the switch comprising:

a plurality of ports configured to receive and transmit a frame; and

a fabric manager coupled to the plurality of ports to obtain the received frame and to provide a frame to be transmitted, the fabric manager configured to add information to the frame, ~~the information including receive and transmit port identity, and the switch identity, and measured transmit and receive rates of the port receiving the frame,~~ and to provide the frame for transmission.

2. (Original) The switch of claim 1, the information further including the speed of the port receiving the frame and the link cost of a link connected to the transmit port.

3. (Currently Amended) The switch of claim 1, the information further including ~~transmit and receive rates of the port receiving the frame and the port transmitting the frame.~~

4. (Original) The switch of claim 3, wherein the transmit and receive rates are based on a first defined period.

5. (Original) The switch of claim 4, the information further including transmit and receive rates of the port receiving the frame and the port transmitting the frame based on a second defined period, the second defined period being greater than the first defined period.

6. (Previously Presented) The switch of claim 5, the information further including the number of frames transmitted and received by the port receiving the frame and the port transmitting the frame.

7. (Previously Presented) The switch of claim 4, the information further including the number of frames transmitted and received by the port receiving the frame and the port transmitting the frame.

8. (Withdrawn) The switch of claim 1, wherein the frame has an original source and an original destination and wherein the fabric manager is configured to add the information to the frame when the frame is traveling from the original source to the original destination.

9. (Withdrawn) The switch of claim 8, wherein the fabric manager is configured to add the information to the frame when the frame is traveling from the original destination to the original source.

10. (Withdrawn) The switch of claim 1, wherein a node device is connected to one of the plurality of ports and wherein the fabric manager is configured to transmit the frame to the node device.

11. (Withdrawn) The switch of claim 1, wherein the fabric manager is configured to select the port to transmit the frame based on normal routing rules.

12. (Withdrawn) The switch of claim 11, wherein the frame contains source routing information and wherein the fabric manager is configured to select the port to transmit the frame based on the source routing information.

13. (Withdrawn) The switch of claim 12, wherein the fabric manager is configured to use normal routing rules if the source routing information does not indicate a device directly connected to the switch.

14. (Withdrawn) The switch of claim 11, wherein the frame is destination addressed to a well known address, and wherein the fabric manager is configured to determine the a destination address by retrieving data from the frame payload.

15. (Withdrawn) The switch of claim 1, wherein there are a plurality of equal cost routes that can be used for transmitting the frame and wherein the fabric manager is configured to transmit the frame over all of such routes.

16. (Withdrawn) The switch of claim 1, wherein the frame is an extended link services frame.

17. (Withdrawn) The switch of claim 1, wherein the fabric manager is configured to determine if the switch is the original destination of the frame, and if so, modify the frame to cause it to return to the original source.

18. (Withdrawn) The switch of claim 1, wherein the fabric manager is configured to determine if the switch was the original source of the frame, and if so, to capture the frame and not further transmit the frame.

19. (Currently Amended) A fabric which interconnects nodes, the fabric comprising:

- a first Fibre Channel switch; and
- a second Fibre Channel switch coupled to the first switch,
- wherein each of said first and second switches has previously determined all routes between all switches and all nodes in the fabric, and
- wherein each of the first and second switches includes:
 - a plurality of ports configured to receive and transmit a frame; and

a fabric manager coupled to the plurality of ports to obtain the received frame and to provide a frame to be transmitted, the fabric manager configured to add information to the frame; ~~the information including receive and transmit port identity_z and the switch identity_z and measured transmit and receive rates of the port receiving the frame_z~~ and to provide the frame for transmission.

20. (Original) The fabric of claim 19, the information further including the speed of the port receiving the frame and the link cost of a link connected to the port.

21. (Currently Amended) The fabric of claim 19, the information further including ~~transmit and receive rates of the port receiving the frame and the port~~ transmitting the frame.

22. (Original) The fabric of claim 21, wherein the transmit and receive rates are based on a first defined period.

23. (Original) The fabric of claim 22, the information further including transmit and receive rates of the port receiving the frame and the port transmitting the frame based on a second defined period, the second defined period being greater than the first defined period.

24. (Previously Presented) The fabric of claim 23, the information further including the number of frames transmitted and received by the port receiving the frame and the port transmitting the frame.

25. (Previously Presented) The fabric of claim 22, the information further including the number of frames transmitted and received by the port receiving the frame and the port transmitting the frame.

26. (Withdrawn) The fabric of claim 19, wherein the frame has an original source and an original destination and wherein the fabric manager is configured to add

the information to the frame when the frame is traveling from the original source to the original destination.

27. (Withdrawn) The fabric of claim 26, wherein the fabric manager is configured to add the information to the frame when the frame is traveling from the original destination to the original source.

28. (Withdrawn) The fabric of claim 19, wherein a node device is connected to one of the plurality of ports of the first or the second switch and wherein the fabric manager of the respective switch is configured to transmit the frame to the node device.

29. (Withdrawn) The fabric of claim 19, wherein the fabric manager is configured to select the port to transmit the frame based on normal routing rules.

30. (Withdrawn) The fabric of claim 29, wherein the frame contains source routing information and wherein the fabric manager is configured to select the port to transmit the frame based on the source routing information.

31. (Withdrawn) The fabric of claim 30, wherein the fabric manager is configured to use normal routing rules if the source routing information does not indicate a device directly connected to the switch.

32. (Withdrawn) The fabric of claim 29, wherein the frame is destination addressed to a well known address, and wherein the fabric manager is configured to determine a true destination address by retrieving data from the frame payload.

33. (Withdrawn) The fabric of claim 19, wherein there are a plurality of equal cost routes that can be used for transmitting the frame and wherein the fabric manager is configured to transmit the frame over all of such routes.

34. (Withdrawn) The fabric of claim 19, wherein the frame is an extended link services frame.

35. (Withdrawn) The fabric of claim 19, wherein the fabric manager is configured to determine if the switch is the original destination of the frame, and if so, modify the frame to cause it to return to the original source.

36. (Withdrawn) The fabric of claim 19, wherein the fabric manager is configured to determine if the switch was the original source of the frame, and if so, to capture the frame and not further transmit the frame.

37. (Currently Amended) A Fibre Channel network comprising:
a first Fibre Channel node device;
a second Fibre Channel node device; and
a Fibre Channel fabric connected to the first and second node devices,
wherein the fabric includes:
a first Fibre Channel switch; and
a second Fibre Channel switch coupled to the first switch,
wherein each of said first and second switches has previously determined all routes between all switches and all nodes in the fabric, and
wherein each of the first and second switches includes:
a plurality of ports configured to receive and transmit a frame; and
a fabric manager coupled to the plurality of ports to obtain the received frame and to provide a frame to be transmitted, the fabric manager configured to add information to the frame; ~~the~~ the information including receive and transmit port identity; and the switch identity; and measured transmit and receive rates of the port receiving the frame; and to provide the frame for transmission.

38. (Original) The network of claim 37, the information further including the speed of the port receiving the frame and the link cost of a link connected to the port.

39. (Currently Amended) The network of claim 37, the information further including ~~transmit and receive rates of the port receiving the frame and the port transmitting the frame.~~

40. (Original) The network of claim 39, wherein the transmit and receive rates are based on a first defined period.

41. (Original) The network of claim 40, the information further including transmit and receive rates of the port receiving the frame and the port transmitting the frame based on a second defined period, the second defined period being greater than the first defined period.

42. (Previously Presented) The network of claim 41, the information further including the number of frames transmitted and received by the port receiving the frame and the port transmitting the frame.

43. (Previously Presented) The network of claim 40, the information further including the number of frames transmitted and received by the port receiving the frame and the port transmitting the frame.

44. (Withdrawn) The network of claim 37, wherein the frame has an original source and an original destination and wherein the fabric manager is configured to add the information to the frame when the frame is traveling from the original source to the original destination.

45. (Withdrawn) The network of claim 44, wherein the fabric manager is configured to add the information to the frame when the frame is traveling from the original destination to the original source.

46. (Withdrawn) The network of claim 37, wherein a node device is connected to one of the plurality of ports of the first or the second switch and wherein the

fabric manager of the respective switch is configured to transmit the frame to the node device.

47. (Withdrawn) The network of claim 37, wherein the fabric manager is configured to select the port to transmit the frame based on normal routing rules.

48. (Withdrawn) The network of claim 47, wherein the frame contains source routing information and wherein the fabric manager is configured to select the port to transmit the frame based on the source routing information.

49. (Withdrawn) The network of claim 48, wherein the fabric manager is configured to use normal routing rules if the source routing information does not indicate a device directly connected to the switch.

50. (Withdrawn) The network of claim 47, wherein the frame is destination addressed to a well known address, and wherein the fabric manager is configured to determine a true destination address by retrieving data from the frame payload.

51. (Withdrawn) The network of claim 37, wherein there are a plurality of equal cost routes that can be used for transmitting the frame and wherein the fabric manager is configured to transmit the frame over all of such routes.

52. (Withdrawn) The network of claim 37, wherein the frame is an extended link services frame.

53. (Withdrawn) The network of claim 37, wherein the fabric manager is configured to determine if the switch is the original destination of the frame, and if so, modify the frame to cause it to return to the original source.

54. (Withdrawn) The network of claim 37, wherein the fabric manager is configured to determine if the switch was the original source of the frame, and if so, to capture the frame and not further transmit the frame.

55. (Currently Amended) A method of providing frame routing information through a Fibre Channel switch having a plurality of ports, the switch for use in a switched fabric which interconnects nodes, with all routes between all switches and all nodes in the fabric previously determined, the method comprising:

receiving a frame;

adding information to the frame, the information including receive and transmit port identity, ~~and the switch identity,~~ and measured transmit and receive rates of the port receiving the frame; and

providing the frame to a port for transmission.

56. (Original) The method of claim 55, the information further including the speed of the port receiving the frame and the link cost of a link connected to the port.

57. (Currently Amended) The method of claim 55, the information further including ~~transmit and receive rates of the port receiving the frame and the port~~ transmitting the frame.

58. (Original) The method of claim 57, wherein the transmit and receive rates are based on a first defined period.

59. (Original) The method of claim 58, the information further including transmit and receive rates of the port receiving the frame and the port transmitting the frame based on a second defined period, the second defined period being greater than the first defined period.

60. (Previously Presented) The method of claim 59, the information further including the number of frames transmitted and received by the port receiving the frame and the port transmitting the frame.

61. (Previously Presented) The method of claim 58, the information further including the number of frames transmitted and received by the port receiving the frame and the port transmitting the frame.

62. (Withdrawn) The method of claim 55, wherein the frame has an original source and an original destination and the information is added to the frame when the frame is traveling from the original source to the original destination.

63. (Withdrawn) The method of claim 62, wherein the information is added to the frame when the frame is traveling from the original destination to the original source.

64. (Withdrawn) The method of claim 55, wherein a node device is connected to one of the plurality of ports and wherein the frame is provided for transmission to the node device.

65. (Withdrawn) The method of claim 55, wherein the port selected to transmit the frame is based on normal routing rules.

66. (Withdrawn) The method of claim 65, wherein the frame contains source routing information and wherein the port selected to transmit the frame is based on the source routing information.

67. (Withdrawn) The method of claim 66, wherein normal routing rules are used if the source routing information does not indicate a device directly connected to the switch.

68. (Withdrawn) The method of claim 65, wherein the frame is destination addressed to a well known address, and wherein a true destination address is determined by retrieving data from the frame payload.

69. (Withdrawn) The method of claim 55, wherein there are a plurality of equal cost routes that can be used for transmitting the frame and wherein the frame is transmitted over all of such routes.

70. (Withdrawn) The method of claim 55, wherein the frame is an extended link services frame.

71. (Withdrawn) The method of claim 55, further comprising:
determining if the switch is the original destination of the frame, and if so, modifying the frame to cause it to return to the original source.

72. (Withdrawn) The method of claim 55, further comprising:
determining if the switch was the original source of the frame, and if so, to capturing the frame and not further transmitting the frame.

73.- 82. (Cancelled)